

Technical Specifications

Republic of the Philippines Department of Health Center for Health Development 2 Region II Trauma and Medical Center			
Item No. 1	ADL Board/ Manipulation Activity Board	Quantity ABC	1 unit 5,000.00/unit
Name of Manufacturer:		Country of Origin:	
Brand:		Model:	
PURCHASER'S SPECIFICATION		SUPPLIER'S SPECIFICATION	
<ul style="list-style-type: none"> Designed to improve dexterity and finger strength. Manipulation Activity Board measures 23" high by 14.75" wide; includes a wooden stand which adds 3" of height Made up of a variety of common activities which include a door chain lock, door bolt lock, electrical outlet, pad lock, key lock, faucet, hook & eye lock, and luggage lock <p style="margin-left: 20px;">Warranty: One (1) year</p>			

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date
------------------------	--	------

Technical Specifications

Republic of the Philippines Department of Health Center for Health Development 2 Region II Trauma and Medical Center			
Item No. 4	Arm Cuff with Bladder and Pumping Valve Set	Quantity ABC	6 pieces P835.00/piece
Name of Manufacturer:		Country of Origin:	
Brand:		Model:	
PURCHASER'S SPECIFICATION		SUPPLIER'S SPECIFICATION	
<ul style="list-style-type: none"> Adult Inflation System with Two-Tube Rubber type bladder and pumping valve With nylon cove <p style="margin-top: 20px;">Warranty: One (1) year</p>			

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date
------------------------	--	------

Technical Specifications

Republic of the Philippines Department of Health Center for Health Development 2 Region II Trauma and Medical Center			
Item No. 5	Bilateral Sander	Quantity ABC	1 unit 2,000.00/unit
Name of Manufacturer:		Country of Origin:	
Brand:		Model:	
PURCHASER'S SPECIFICATION		SUPPLIER'S SPECIFICATION	
<ul style="list-style-type: none"> Made of durable wood Includes plastic gliders on the underside Includes five pairs of interchangeable handles standing table-top wooden incline board is at least 30-inches long and 10-inches wide Box measures 10" long x 9" wide x 4" high 			

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date
------------------------	--	------

Technical Specifications

Republic of the Philippines Department of Health Center for Health Development 2 Region II Trauma and Medical Center			
Item No. 6	Motorized Patient Lifter	Quantity ABC	1 Unit P200,000.00/unit
Name of Manufacturer:		Country of Origin:	
Brand:		Model:	
PURCHASER'S SPECIFICATION		SUPPLIER'S SPECIFICATION	
<p>Features:</p> <ul style="list-style-type: none"> Base: at least 38x63mm flat tube, static powder coated surface U-shaped base with adjustable flap angle to ensure safety in operation Maximum pay load: 210kg Manual control smart type electrical elevation design Wheels are at least 3" caster rear wheel are at least 4" braking wheel With extra harness Extra accessories patient transfer belt lift sling <p>Other Terms and Conditions of Acceptability:</p> <p>Supplier must comply with the following conditions:</p> <ul style="list-style-type: none"> Notarized Certificate of Exclusive or Authorized Distributorship of the principal company of the equipment and the necessary consumables in the Philippines Submit Certificate of Training of the Company Engineer / Technical Personnel and Product Specialist issued by the Principal or Manufacturer. Submit Sworn Statement that the company will respond within 24 – 48 hours in case of technical problems or equipment breakdown. Submit Sworn Statement that, in case of machine downtime, the supplier is given three (3) days for remedial action (repair and or replacement of spare parts). On the 4th day, if 			

the unit is not operational, a back-up machine shall be provided (within the warranty period).

- Replace equipment for major unit malfunction within 1 year of delivery (at least 2 attempts of repair)
- Warranty: Three (3) years free service and two (2) years on parts.
- Semi-annual Preventive Maintenance & Calibration within the warranty period
- Submit notarized certification of product cycle (expected usable life of equipment)
- Notarized Certificate of availability of spare parts for the next five (5) years.

The Supplier must submit the following:

- Three (3) copies of the Operating and Service Manuals in English
- The manufacturer in coordination with the supplier must provide a comprehensive certification training program for the end-users and biomedical technician without additional cost to the procuring entity. Supplier must submit a comprehensive training module as part of the technical specification which covers product orientation, hands-on training and troubleshooting. The said training must be conducted by a certified product specialist.
- Cost of damages on the existing facility that will be incurred during delivery and installation of all equipment will be shouldered by the supplier.
- The Region II Trauma and Medical Center has the right to terminate the contract for any violation in the terms and conditions stated in the technical specification.

Compliance with the following standards:

- With Certificate of Good Manufacturing Practice (GMP) for manufacturing process (if applicable)

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized
Representative

Date

Technical Specifications

Republic of the Philippines
 Department of Health
 Center for Health Development 2
 Region II Trauma and Medical Center

Item No. 7	Build and Balance Intermediate Set	Quantity ABC	1 unit 16,000.00/unit
Name of Manufacturer:		Country of Origin:	
Brand:		Model:	
PURCHASER'S SPECIFICATION		SUPPLIER'S SPECIFICATION	
<ul style="list-style-type: none"> • Set of plastic Planks are strengthened with steel bars • This set includes: 3 pieces build and balance top 10(yellow), 3 pieces build and balance top 24 (red), 3 build and balance planks, 2 build and balance log planks, 1 build and balance rocking plank 1 build and balance tilting disc. • Set of 3 Planks each plank measures at least 28.35” x 5.12”x 1.8”. Made of plastic. Weight capacity is at least 220.5 lbs. Strengthen with steel bars. • Build and Balance top 10 (yellow) measures at least 10.63” x 10.63”x 3.94”. Weight capacity at least 220.5 lbs. Made of plastic with artificial rubber to avoid slipping. • Build and Balance top 24 (red) measures at least 15.75” x 15.75”x 9.45”. Weight capacity at least 220.5 lbs. Made of plastic with artificial rubber to avoid slipping. • Build and Balance rocking planks moves at least 2.36” as it rocks. Measures at least 28.35” x 5.12” x 4.33”. Weight capacity at least 110.25 lbs. Made of plastic and strengthen with steel bars. • Build and Balance tilting disk measures at least 8.66” x 8.66” x 6.69”. Consist of two hard plastic parts combined around thick and movable rubber connecter. Weight capacity at least 165.38 lbs. Made of height quality plastic. • Build and Balance log planks measures at least Measures 28.74" x 5.12" x 2.36". Weight Capacity: 220.5lb Made of plastic and strengthen with steel bars. 			
Warranty: One (1) year			

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized
Representative

Date

Technical Specifications

Republic of the Philippines Department of Health Center for Health Development 2 Region II Trauma and Medical Center			
Item No. 8	Built up handle utensils/ Independent Eating Utensils	Quantity ABC	10 pieces P1,500.00/piece
Name of Manufacturer:		Country of Origin:	
Brand:		Model:	
PURCHASER'S SPECIFICATION		SUPPLIER'S SPECIFICATION	
<ul style="list-style-type: none"> Built up handles utensils or independent eating utensils provide a variety of ergonomics gripping positions for a wide range utensils used for dining. Built up handles has to increase the surface area of the handle which in turn provides greater grip over the adaptive dining aid. 4 piece set of foam handle utensils (Tablespoon, teaspoon, fork and knife) is made from high quality stainless steel; each utensil is attached to a removable at least 1.25" diameter black, built-up, closed cell foam handle 6 pieces set Deluxe Easy-hold (Offset Spoon, Right Hand, Offset Spoon, Left Hand, Offset Spoon, Plastisol Coated, Right Hand, Offset Spoon, Plastisol Coated, Left Hand, Offset Spork, Right Hand and Offset Spork, Left Hand) utensils is made from high quality stainless steel. Its polypropylene handle is a at least 4 ½" long, at least 1 ¾" in diameter and at least 8" length. 			

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date
------------------------	--	------

Technical Specifications

Republic of the Philippines Department of Health Center for Health Development 2 Region II Trauma and Medical Center			
Item No. 11	Digi Flex Hand	Quantity ABC	5 pieces 2,400.00/piece
Name of Manufacturer:		Country of Origin:	
Brand:		Model:	
PURCHASER'S SPECIFICATION		SUPPLIER'S SPECIFICATION	
<ul style="list-style-type: none"> The Digi-Flex hand exercise develops isolated finger strength, flexibility and coordination as it builds hand and forearm strength. size(LxWxH): at least 0.75x2.75x3.5 inches 5 different color/resistance level: Yellow (x-light) – at least 1.5 lbs Red (light)- at least 3.0 lbs Green (medium)- at least 5.0 lbs Blue (heavy)- at least 7.0 lbs Black (x-Heavy)- at least 9.0 lbs <p style="margin-left: 20px;">Warranty: One (1) year</p>			

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date
------------------------	--	------

Technical Specifications

Republic of the Philippines Department of Health Center for Health Development 2 Region II Trauma and Medical Center			
Item No. 12	Dressing Frames	Quantity ABC	1 unit 2,000.00/unit
Name of Manufacturer:		Country of Origin:	
Brand:		Model:	
PURCHASER'S SPECIFICATION		SUPPLIER'S SPECIFICATION	
<ul style="list-style-type: none"> • Includes a wooden frame board with a size of 13x9 inches. These frames hold material and different types of fasteners which children may encounter while dressing. • Zipping Frame • Bow Frame • Large Buttoning Frame • Small Buttoning Frame • Lacing Frame • Velcro Frame • Buckling Frame • Hook and Eye Frame • Snapping Frame • Safety Pin Frame 			

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date
------------------------	--	------

Technical Specifications

Republic of the Philippines Department of Health Center for Health Development 2 Region II Trauma and Medical Center			
Item No. 14	E-z Exerboard Hand Exercise kit	Quantity ABC	1 unit 15,000.00/unit
Name of Manufacturer:		Country of Origin:	
Brand:		Model:	
PURCHASER'S SPECIFICATION		SUPPLIER'S SPECIFICATION	
<ul style="list-style-type: none"> Hook and loop board features six rollers used for various hand therapy exercises. Four suction cups on the bottom of the board keep it in place during use for greater stability and more effective exercise. Mercolite board measures 9" x 13" (22.9 x 33cm) Includes six wooden rollers and one finger block <p style="margin-left: 20px;">Warranty: One (1) year</p>			

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date
------------------------	--	------

Technical Specifications

Republic of the Philippines Department of Health Center for Health Development 2 Region II Trauma and Medical Center			
Item No. 15	Graded Pegboard	Quantity ABC	1 set 7,000.00/set
Name of Manufacturer:		Country of Origin:	
Brand:		Model:	
PURCHASER'S SPECIFICATION		SUPPLIER'S SPECIFICATION	
<ul style="list-style-type: none"> This pegboard set determines and assists with finger/hand strength, skill, and close proximity depth perception ability. Has five rows of graded height pegs each size painted a different color Wooden board and 30 different height wooden pegs. Pegs have 5 different heights; 1 1/4" to 2 7/8" Board Measurements 10" x 12" Pegs come in 5 different colors(red, yellow green, blue and black) Latex-free <p style="margin-left: 20px;">Warranty: One (1) year</p>			

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date
------------------------	--	------

Technical Specifications

Republic of the Philippines Department of Health Center for Health Development 2 Region II Trauma and Medical Center			
Item No. 16	Graded Pinch Exerciser	Quantity ABC	1 unit 15,000.00/unit
Name of Manufacturer:		Country of Origin:	
Brand:		Model:	
PURCHASER'S SPECIFICATION		SUPPLIER'S SPECIFICATION	
<ul style="list-style-type: none"> Features 5 sets of color-coded graded resistance pinch pins, three horizontal rods and one vertical rod. All conveniently located within a blue container that houses all the pinch pins for use. Yellow (X-Light), Red (Light), Green (Medium), Blue (Heavy), and Black (X-Heavy). Dimensions at least 16" x 11" x 14" Weight at least 6 lbs <p style="margin-top: 20px;">Warranty: One (1) year</p>			

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date
------------------------	--	------

Technical Specifications

Republic of the Philippines Department of Health Center for Health Development 2 Region II Trauma and Medical Center			
Item No. 17	Graded ROM arc	Quantity ABC	1 set 6,500.00/set
Name of Manufacturer:		Country of Origin:	
Brand:		Model:	
PURCHASER'S SPECIFICATION		SUPPLIER'S SPECIFICATION	
<ul style="list-style-type: none"> The Graded Arc for Range of Motion Therapy is an active range of motion exercise device to enhance the strength and flexibility of a shoulders flexion and rotation, as well as forearm rotation. The graded arc is constructed with a natural wood base with an adjustable, durable plastic tube and 12 rings. The plastic tube has arc height adjustments in 5-inch increments up to 30 inches in height. The light weight and size of this device make it an ideal occupational therapy tool at the office or for client visitation therapy. Base Dimensions: 36" x 3.4" x 6" Arc Height Adjustable: 15" to 30" in 5" increments Weight: 5.35lbs 			

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date
------------------------	--	------

Technical Specifications

Republic of the Philippines Department of Health Center for Health Development 2 Region II Trauma and Medical Center			
Item No. 18	Horizontal Ring Tree for Hand Therapy and Range of Motion Exercises	Quantity ABC	1 unit 26,000.00/unit
Name of Manufacturer:		Country of Origin:	
Brand:		Model:	
PURCHASER'S SPECIFICATION		SUPPLIER'S SPECIFICATION	
<ul style="list-style-type: none"> Designed to provide a convenient solution for versatile and effective hand therapy tasks, available in vertical and horizontal models to better accommodate a variety of user needs and help improve ROM and coordination. Horizontal Ring Tree Product Weight at least 9 lbs Horizontal Ring Tree Dimensions at least 36" x 3" x 32" Horizontal Ring Tree Set Includes 36 rings in three sizes (12 each 1-1/8", 1-3/4" and 2") 3 rod lengths (12", 24" and 36") <p style="margin-left: 20px;">Warranty: One (1) year</p>			

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date
------------------------	--	------

Technical Specifications

Republic of the Philippines Department of Health Regional Office 02 Region II Trauma and Medical Center			
Item No. 19	Infrared Desktop Type	Quantity ABC	2 units 6,000.00/unit
Name of Manufacturer:		Country of Origin:	
Brand:		Model:	
PURCHASER'S SPECIFICATION		SUPPLIER'S SPECIFICATION	
With adjustable tilt angle power source: 220V/60hz frequency output: 700nm~ 4000nm Infrared bulb: 175W- 250W with spare bulb (2pcs) With 3prong plug, with ground Warranty: One (1) year			

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date
------------------------	--	------

Technical Specifications

Republic of the Philippines Department of Health Regional Office 02 Region II Trauma and Medical Center			
Item No. 20	Infrared Stand Type	Quantity ABC	2 units 12,000.00/unit
Name of Manufacturer:		Country of Origin:	
Brand:		Model:	
PURCHASER'S SPECIFICATION		SUPPLIER'S SPECIFICATION	
Easy adjustable stand type at least 42 inches in height power source: 220V/60hz frequency output: 700nm~ 4000nm Infrared bulb: 175W-250W with spare bulb (2 pcs) 5 leg caster base with wheel With 3prong plug, with ground Warranty: One (1) year			

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date
------------------------	--	------

Technical Specifications

Republic of the Philippines Department of Health Center for Health Development 2 Region II Trauma and Medical Center			
Item No. 21	Inner Lip Dining Plate	Quantity ABC	2 pieces 1,500.00/piece
Name of Manufacturer:		Country of Origin:	
Brand:		Model:	
PURCHASER'S SPECIFICATION		SUPPLIER'S SPECIFICATION	
<ul style="list-style-type: none"> The Inner Lip Plate is an adapted dining plate with an inside lip and extended rim around the entire plate. Users who have difficulty scooping their food will find the raised edge prevents food from sliding off the plate. This adapted dining plate has at least 9 inches' diameter, the extended rim measures at least 1-inch-wide, and the inner lip is at least 1/2 inch deep. The durable plastic sandstone color adapted dinner plate dishwasher and microwave safe. The Inner Lip Plate is also available in Light Blue and Red colors. Made of dishwasher, autoclave, and microwave safe plastic 			

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date
------------------------	--	------

Technical Specifications

Republic of the Philippines Department of Health Center for Health Development 2 Region II Trauma and Medical Center			
Item No. 22	Dynamometer	Quantity ABC	1 piece 12,500.00/piece
Name of Manufacturer:		Country of Origin:	
Brand:		Model:	
PURCHASER'S SPECIFICATION		SUPPLIER'S SPECIFICATION	
<ul style="list-style-type: none"> Standard evaluation tool for measuring grip and squeeze strength. Stainless-steel gauge with shock-resistant rubber cap Adjustable handle that allows the user to quantify grip strength for different sized objects Dual- scale readout displays isometric grip force from 0-200 lbs. (90 kg) Comes with carrying case Warranty: One (1) year 			

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date
------------------------	--	------

Technical Specifications

Republic of the Philippines Department of Health Center for Health Development 2 Region II Trauma and Medical Center			
Item No. 23	Jebsen Taylor Hand Function Test	Quantity ABC	1 set 41,000.00/set
Name of Manufacturer:		Country of Origin:	
Brand:		Model:	
PURCHASER'S SPECIFICATION		SUPPLIER'S SPECIFICATION	
<ul style="list-style-type: none"> • Standardized evaluative measure of functional hand motor skills • Includes instructions, carrying bag, and a pad of 50 blank record forms • wooden board (41 1/2 inches long x 11 1/4 inches wide x 3/4 inch thick) • ball point pen • 8×11 inch sheets unruled paper • 5×8 inch index cards • 3×5 inch index cards • 1 pound coffee can • 1 inch paper clips • teaspoon • 5 kidney beans • standard size wooden checkers • 5 empty 303 cans • 5 full (1 pound) 303 cans. <p style="margin-top: 20px;">Warranty: One (1) year</p>			

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date
------------------------	--	------

Technical Specifications

Republic of the Philippines Department of Health Center for Health Development 2 Region II Trauma and Medical Center			
Item No. 24	Minnesota Manual Dexterity Test	Quantity ABC	1 set 19,000.00/set
Name of Manufacturer:		Country of Origin:	
Brand:		Model:	
PURCHASER'S SPECIFICATION		SUPPLIER'S SPECIFICATION	
<ul style="list-style-type: none"> Standardize assessment tool that measures simple eye-hand coordination and gross motor skills Includes 2 folding boards, 60 blocks (diameter of 3.7 cms and are red and black), carrying case, and instruction manual <p style="margin-left: 20px;">Warranty: One (1) year</p>			

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date
------------------------	--	------

Technical Specifications

Republic of the Philippines Department of Health Center for Health Development 2 Region II Trauma and Medical Center			
Item No. 26	Pediatric Folded Walker	Quantity ABC	2 units 3,500.00/units
Name of Manufacturer:		Country of Origin:	
Brand:		Model:	
PURCHASER'S SPECIFICATION		SUPPLIER'S SPECIFICATION	
<ul style="list-style-type: none"> Available with weight capacities up to 175 lbs. lightweight, aluminum Pediatric walking aids feature grow-with-you height adjustability Dimension: at least 16.75 x 22 x 24.5 inches Adjustable height accommodates growing children Anodized frame is lightweight for ease of use for smaller users <p style="margin-left: 20px;">Warranty: one (1) year.</p>			

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date
------------------------	--	------

Technical Specifications

Republic of the Philippines Department of Health Center for Health Development 2 Region II Trauma and Medical Center			
Item No. 28	Play Tunnel	Quantity ABC	1 piece 6,000.00/piece
Name of Manufacturer:		Country of Origin:	
Brand:		Model:	
PURCHASER'S SPECIFICATION		SUPPLIER'S SPECIFICATION	
<ul style="list-style-type: none"> Designed to improve motor development, strength, and coordination skills. Measures at least 22" in diameter and stretches to at least 6' in length. Cover made of rugged nylon Steel frame 			

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date
------------------------	--	------

Technical Specifications

Republic of the Philippines Department of Health Center for Health Development 2 Region II Trauma and Medical Center			
Item No. 30	Purdue Pegboard	Quantity ABC	1 set 10,000.00/set
Name of Manufacturer:		Country of Origin:	
Brand:		Model:	
PURCHASER'S SPECIFICATION		SUPPLIER'S SPECIFICATION	
<ul style="list-style-type: none"> Standardize assessment tool that measures gross movement of hands, fingers and arms, and fingertip dexterity necessary in assembly tasks Instruction manual One test board Pins x 50, collars x 20, washers x 40 Score sheets Stopwatch or clock that reads in seconds <p style="margin-left: 20px;">Warranty: One (1) year</p>			

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date
------------------------	--	------

Technical Specifications

Republic of the Philippines Department of Health Center for Health Development 2 Region II Trauma and Medical Center			
Item No. 31	Puttycise Theraputty Tool Kit	Quantity ABC	1 set 10,000.00/set
Name of Manufacturer:		Country of Origin:	
Brand:		Model:	
PURCHASER'S SPECIFICATION		SUPPLIER'S SPECIFICATION	
<ul style="list-style-type: none"> exercise material to increase function and versatility of the ubiquitous hand exercise material total of 5 tools: Each hand-held tool helps the user simulate various functions to help with everyday life <ul style="list-style-type: none"> cap turn, key turn, knob turn, L-bar, 			

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date
------------------------	--	------

Technical Specifications

Republic of the Philippines Department of Health Center for Health Development 2 Region II Trauma and Medical Center			
Item No. 32	Scooper Bowl and Plate with Suction Cup Base	Quantity ABC	2 pieces 2,000.00/pieces
Name of Manufacturer:		Country of Origin:	
Brand:		Model:	
PURCHASER'S SPECIFICATION		SUPPLIER'S SPECIFICATION	
<ul style="list-style-type: none"> Design is ideal for users with weak muscle strength and hand coordination. Plates and bowls has flat bottom and raised edge that curls over to reduce spills. Rubber suction base prevents the plate or bowl from sliding. Scooper bowl with suction cup dimension at least 11" x 7.5"x 3.25" Scooper plate with suction cup dimension at least 6.625" x 6.625 x 2.75" Molded of white, heat resistant plastic. Dishwasher safe 			

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date
------------------------	--	------

Technical Specifications

Republic of the Philippines Department of Health Center for Health Development 2 Region II Trauma and Medical Center			
Item No. 33	Theraputty hand exercise	Quantity ABC	6 pieces 750.00/piece
Name of Manufacturer:		Country of Origin:	
Brand:		Model:	
PURCHASER'S SPECIFICATION		SUPPLIER'S SPECIFICATION	
<ul style="list-style-type: none"> • Theraputty is a strong, non-toxic, latex free putty-like material that leaves no residue and won't fragment, separate stain or stick to skin. There are 6 different colors, each having a different degree of resistance when handled. The putty can be stretched, pinched, kneaded, squeezed and separated. • 6 different colors and different degree of resistance: 1 piece per color weighing 2 oz. each <ol style="list-style-type: none"> 1. Tan- xx light 2. Yellow-x light 3. Red- light 4. Green- medium 5. Blue- heavy 6. Black- x heavy 			

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized Representative

Date

Republic of the Philippines
 Department of Health
 Regional Office 02
 Region II Trauma and Medical Center

Item No. 35 - 37	Splinting Equipment consist of 1 unit Water Bath (Splint Pan), 20 pieces Thermoplastic Sheet (Microperforated), 20 pieces Thermoplastic Sheet (Solid)	Quantity ABC	1 set 410,000.00/set
---------------------	--	-----------------	-------------------------

Name of Manufacturer:	Country of Origin:
-----------------------	--------------------

Brand:	Model:
--------	--------

PURCHASER'S SPECIFICATION	SUPPLIER'S SPECIFICATION
----------------------------------	---------------------------------

<p>Water Bath (Splint Pan)-1 unit</p> <ul style="list-style-type: none"> • Durable stainless steel that maintains water and has a user-adjustable temperature. It is ideal to be placed on a counter or under cabinets. • Width: 30-35 inches; Length: 24-28 inches, Height: 7-10 inches for overall dimension. While the internal pan dimension is at least 26 inches width, 22 inches length, 5 inches height <p>Other Terms and Conditions of Acceptability:</p> <p>Supplier must comply with the following conditions:</p> <ul style="list-style-type: none"> • Notarized Certificate of Exclusive or Authorized Distributorship of the principal company of the equipment and the necessary consumables in the Philippines • Submit Certificate of Training of the Company Engineer / Technical Personnel and Product Specialist issued by the Principal or Manufacturer. • Submit Sworn Statement that the company will respond within 24 – 48 hours in case of technical problems or equipment breakdown. • Submit Sworn Statement that, in case of machine downtime, the supplier is given three (3) days for remedial action (repair and or replacement of spare parts). On the 4th day, if the unit is not operational, a back-up machine shall be provided (within the warranty period). 	
---	--

- Replace equipment for major unit malfunction within 1 year of delivery (at least 2 attempts of repair)
- Warranty: Three (3) years free service and two (2) years on parts.
- Semi-annual Preventive Maintenance & Calibration within the warranty period
- Submit notarized certification of product cycle (expected usable life of equipment)
- Notarized Certificate of availability of spare parts for the next five (5) years.

The Supplier must submit the following:

- Three (3) copies of the Operating and Service Manuals in English
- The manufacturer in coordination with the supplier must provide a comprehensive certification training program for the end-users and biomedical technician without additional cost to the procuring entity. Supplier must submit a comprehensive training module as part of the technical specification which covers product orientation, hands-on training and troubleshooting. The said training must be conducted by a certified product specialist.
- Cost of damages on the existing facility that will be incurred during delivery and installation of all equipment will be shouldered by the supplier.
- The Region II Trauma and Medical Center has the right to terminate the contract for any violation in the terms and conditions stated in the technical specification.

Compliance with the following standards:

- With Certificate of Good Manufacturing Practice (GMP) for manufacturing process (if applicable)

Thermoplastic Sheet (Microperforated) 20 pieces

Micro-perforated thermoplastic sheets offer strong support without sacrificing flexibility, and feature

moderate stretch resistance and drape to ensure a custom fit and comfortable splinting.

- at least 3/32" x 18" x 24"
- Thickness: at least 2mm
- Color: White

Thermoplastic Sheet (Solid)

The low temperature thermoplastic material allows for easy molding to best suit the patient's needs. Adjustments can be made easily with a heat gun or dipping in hot water. The edges are guaranteed not to warp and to remain smooth and closed. Have 100% memory and can return to the original shape if reheated.

- At least 1/8" x 18" x 24"
- Thickness: at least 2mm
- Color: White

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized Representative

Date