

Annex "B"

TECHNICAL SPECIFICATIONS
(REGION II TRAUMA AND MEDICAL CENTER)
Negotiated Procurement –Two (2) Failed Biddings for the project: Procurement of various Maintenance Supplies
Identification No. R2TMC-BAC2-2023-40
Opening of Bids: July 14, 2023 @ 2:00PM

| Lot/ Item Type and nature of each item/service | | Maximum Quantity | | Technical Specifications | Statement of Compliance |
|---|---------------------------------|---------------------|-----|------------------------------------|-------------------------|
| | Carpentry Supplies | | | | |
| 1 | Adjustable Curtain Holder | 100 | pc | 1 inch | |
| 2 | All Purpose Structural Adhesive | 10 | pc | 1/2 Liter A&B (for wood and metal) | |
| 3 | Angle Bar | 20 | pc | 1"x1"x3/16" 6meter | |
| 4 | Angle Bar | 20 | pc | 2"x2"x3/16" 6meter | |
| 5 | Automotive Thinner | 10 | bot | 350ml | |
| 6 | Blackscrew | 6 | box | 1 1/2", Wood 500pcs/Box | |
| 7 | Blind Rivet | 4 | Box | 1/8" x 1" 500pcs/box | |
| 8 | Blind Rivet | 4 | Box | 1/8" x 3/4" 500pcs/box | |
| 9 | Blind Rivet | 4 | Box | 3/16" x 1" 500pcs/box | |
| 10 | Blind Rivet | 4 | Box | 3/16" x 3/4" 500pcs/box | |
| 11 | Cement | 5 | bag | 40kg/bag | |
| 12 | Circular Blade | 5 | pc | 10" diameter, for wood | |
| 13 | Circular Blade | 3 | pc | 14" diameter, for wood | |
| 14 | Circular saw | 10 | pc | 4" blade 40 teeth | |
| 15 | Common Wire Nail | 2 | kg | 1" | |
| 16 | Common Wire Nail | 2 | kg | 2" | |
| 17 | Common Wire Nail | 5 | kg | 3" | |
| 18 | Common Wire Nail | 4 | kg | 4" | |
| 19 | Cutting Disc, | 15 | pc | 4" Masonry | |
| 20 | Cutting Disk, | 5 | Box | 4" Metal/stainless 50pcs/box | |
| 21 | Door Closer, | 10 | pc | Arm Type | |
| 22 | Door Closer, | 20 | pc | Tube Type | |
| 23 | Door Knob (Tubular) | 200 | pc | for wood and metal door | |
| 24 | Drawer Guide | 20 | pc | 12" (Ballbearing) | |
| 25 | Drawer Guide | 50 | pc | 14" (Ballbearing) | |
| 26 | Drawer Guide | 20 | pc | 18" (Ballbearing) | |

| | | | | | |
|----|--------------------------------|-----|-------|--|--|
| 27 | Drill bit | 20 | pc | 1/8", Metal | |
| 28 | Drill bit | 30 | pc | 3/16", Metal | |
| 29 | Drill bit | 20 | pc | 3/8", Metal | |
| 30 | Fiber Cement Board | 30 | pc | (Hardiflex/Flexiboard) 1/4" | |
| 31 | Finishing Nail | 2 | kg | 1" | |
| 32 | Finishing Nail | 2 | kg | 2" | |
| 33 | Finishing Nail | 5 | kg | 3" | |
| 34 | Flat Bar | 25 | pc | 1", 0.3" thickness, 20ft | |
| 35 | Grind Blade | 5 | pc | 4" diameter | |
| 36 | Hacksaw blade | 100 | pc | #18 | |
| 37 | Hacksaw blade | 100 | pc | #24 | |
| 38 | Instant Super Glue | 20 | pc | 10g | |
| 39 | Lag Screw w/ expansion shield, | 100 | sets | long, 1/4" x 2" | |
| 40 | Lag Screw w/ expansion shield, | 100 | sets | long, 3/8" x 3" | |
| 41 | Marine Plywood | 25 | pc | 1/2"(standard) 4ft x 8ft | |
| 42 | Marine Plywood | 30 | pc | 1/4"(standard) 4ft x 8ft | |
| 43 | Marine Plywood, | 25 | pc | 3/4"(standard) 4ft x 8ft, Double sided | |
| 44 | Masking Tape | 100 | pc | 1" 25 yards | |
| 45 | Paint Brush | 100 | pc | 1" | |
| 46 | Paint Brush | 50 | pc | 2" | |
| 47 | Paint Brush | 50 | pc | 3" | |
| 48 | Plain Round Bar | 20 | pc | 10mm | |
| 49 | Plainer Blade 4", | 5 | pc | diamond tip | |
| 50 | Polyester Body Filler | 20 | liter | 1L | |
| 51 | Polyutherane, | 10 | pc | 22020 PU Reducer | |
| 52 | Roller Paint | 20 | pc | 4"foun with Handle | |
| 53 | Roller Paint | 20 | pc | 4"tela with Handle | |
| 54 | Roller Paint | 30 | pc | 7" with Handle | |
| 55 | Sand Paper | 100 | pc | #100 standard size | |
| 56 | Sanding Sealer | 20 | pc | 1 liter/can | |
| 57 | Spray paint | 50 | pc | Black 400cc | |
| 58 | Spray paint | 50 | pc | Signal Red 400cc | |
| 59 | Spray paint | 50 | pc | Silver 400cc | |
| 60 | Spray paint | 30 | pc | Steel Grey 400cc | |
| 61 | Spray paint | 60 | pc | White 400cc | |
| 62 | Tie Wire, | 20 | kg | Gauge 16 | |
| 63 | Tinting Color, | 10 | pc | Hansa Yellow 1/4L | |

| | | | | | |
|----|--|-----|--------|---|--|
| 64 | Tinting Color, | 10 | pc | LampBlack 1/4 L/can | |
| 65 | Tinting Color, | 10 | pc | Raw Sienna 1/4 L/can | |
| 66 | Tinting Color, | 10 | pc | Silver Gray 1L/can | |
| 67 | Tinting Color, | 10 | pc | Yellow 1/4 L/can | |
| 68 | Tinting Colors, | 10 | pc | Thalo Blue, Enamel-based, 1/4 Liter | |
| 69 | Tinting Colors, | 10 | pc | Venetian Red, Enamel-based, 1/4 Liter | |
| 70 | Wall Putty | 20 | gal | 4kg/gal | |
| 71 | Wood Glue | 100 | sachet | 250grams | |
| | | | | | |
| | Electrical Supplies | | | | |
| 72 | All purpose oil | 100 | pc | 100cc | |
| 73 | Blank Plate | 300 | pc | | |
| 74 | Box connector | 100 | pc | with locknut 1" | |
| 75 | Box connector | 100 | pc | with locknut(for Upvc) 3/4" | |
| 76 | Capacitor | 150 | pc | 2 microfarad | |
| 77 | Capacitor 6 microfarad | 20 | pc | (Electric Fan) | |
| 78 | C-Clamp Metal | 100 | pc | 1 1/2" | |
| 79 | C-Clamp Metal | 100 | pc | 1" | |
| 80 | C-Clamp Metal | 100 | pc | 3/4" | |
| 81 | Ceiling Receptacle | 300 | pc | 4" | |
| 82 | Circuit Breaker | 10 | pc | 20Amp (2pole, Plug in) | |
| 83 | Circuit Breaker | 15 | pc | 20Amp (3pole, Bolt on) | |
| 84 | Circuit Breaker | 10 | pc | 30Amp (2pole, Plug in) | |
| 85 | Circuit Breaker | 10 | pc | 30Amp (2pole, Plug in) | |
| 86 | Circuit Breaker | 10 | pc | 30Amp. (2pole,bolt-on) | |
| 87 | Circuit Breaker | 10 | pc | 40Amp (2pole, Plug in) | |
| 88 | Circuit Breaker | 10 | pc | 40Amp. (2pole,bolt-on) | |
| 89 | Circuit Breaker | 6 | pc | 50Amp. (3pole, bolt-on) | |
| 90 | Circuit Breaker | 6 | pc | 60Amp. (3pole, bolt-on) | |
| 91 | Circuit Breaker(mini) | 10 | pcs | 20Amp.(2pole,bolt-on) fit in shneider board panel | |
| 92 | Circuit Breaker(mini) | 10 | pcs | 32Amp.(2pole,bolt-on) fit in shneider board panel | |
| 93 | Duplex 3 prong universal convenience outlet with ground, | 860 | set | 16A, 230V wide series | |
| 94 | Electrical Moulding | 5 | pc | 2" 63mmx16mmx2440mm | |
| 95 | Electrical Moulding | 100 | pc | 3/4" 25mmx16mmx2440mm | |
| 96 | Electrical Tape Big | 200 | pc | 0.16mm x 19mm x 16mm | |
| 97 | Electrical Rubber Tape | 100 | pc | (big) | |

| | | | | | |
|-----|---|------|------|------------------------------------|--|
| 98 | Expansion bolt 2", | 15 | set | metal | |
| 99 | Expansion bolt 3", | 15 | set | metal | |
| 100 | Flat Cord Wire #16, | 5 | roll | 150m/roll (black) | |
| 101 | Flat Cord Wire #16, | 5 | roll | 150m/roll (white) | |
| 102 | Flexible Hose | 5 | roll | 25 mm (3/4") 100 meters/roll | |
| 103 | Floodlight | 10 | pc | 30watts | |
| 104 | Floodlight | 10 | pc | 50watts | |
| 105 | Fluorescent Holder | 1000 | pc | (as per sample) | |
| 106 | Fuse Link, | 100 | pc | 30 amp | |
| 107 | Gear box | 100 | pc | (Orbit fan) | |
| 108 | Gear box | 100 | pc | (Stand fan) | |
| 109 | Gear box | 100 | pcs | (wall fan) | |
| 110 | Insulated Gloves, | 20 | pair | size XL | |
| 111 | Junction Box, | 200 | pc | uPVC | |
| 112 | Led Bulb | 200 | pc | 13 or 15 watts | |
| 113 | Led Bulb | 500 | pc | 3 watts | |
| 114 | Led Bulb | 500 | pc | 5 watts | |
| 115 | Led Bulb | 30 | pc | 50 watts | |
| 116 | Led Fluorescent tube | 750 | pc | 10w or 9w(two sided line source) | |
| 117 | Led Fluorescent tube | 1000 | pc | 20w or 18w (two sided line source) | |
| 118 | Male Plug Regular white 2 prong, | 350 | pc | 10A, 250V | |
| 119 | Outlet for Air conditioner Unit (ACU) 20Amp, | 100 | pc | 230v | |
| 120 | Royal Cord(3 core/wire) | 5 | roll | 1.25mm sq.(150m/roll) | |
| 121 | Royal Cord(3 core/wire) | 5 | roll | 2.0mm sq.(150m/roll) | |
| 122 | Safety Breaker 20Amp, | 10 | pcs | Screw Type Terminal | |
| 123 | Safety Breaker 30Amp, | 10 | pcs | Screw Type Terminal | |
| 124 | Sealed Rechargeable Battery | 50 | pc | 6V | |
| 125 | Sealed Rechargeable Battery 12V, | 50 | pc | 7.20Ah/20hr | |
| 126 | Secondary Rack | 10 | pc | (3 Spool) | |
| 127 | Soldering Lead(0.8diameter) | 30 | roll | 60meters/roll | |
| 128 | Soldering Paste | 50 | can | 50grams/can | |
| 129 | Solderless Connector | 12 | pc | 1/0 | |
| 130 | Solderless Connector | 12 | pc | 2/0 | |
| 131 | Square Box(2"x4"x4") | 30 | pc | Metal | |
| 132 | Square Box(4"x8"x8") | 30 | pc | Metal Pull box for electrical | |
| 133 | Thermal Fuse | 1000 | pcs | 2amp. | |

| | | | | | |
|-----|--|-----|------|--|--|
| 134 | Thermoplastic Fixture (TF) Wire(Solid) | 3 | box | 0.75mm sq.(box)/150m | |
| 135 | THHN Wire 22mm sq. Stranded(150m/roll) | 2 | roll | any color | |
| 136 | THHN Wire 3.5mm sq. Stranded(150m/box) | 6 | box | any color(blue/yellow/red) | |
| 137 | THHN Wire 3.5mm sq. Stranded | 4 | box | (150m/box)Green | |
| 138 | THHN Wire 5.5mm sq. Stranded(150m/box) | 5 | box | any color | |
| 139 | THHN Wire 8.0mm sq. Stranded(150m/box) | 3 | box | any color | |
| 140 | Utility Box, | 500 | box | Surface mounted white Plastic | |
| | | | | | |
| | Plumbing Supplies | | | | |
| 141 | All around Sealant, | 500 | pc | 75 ml | |
| 142 | Coupling 1", | 20 | pc | PPR 6cm thickness | |
| 143 | Coupling 1/2", | 20 | pc | PPR 4cm thickness | |
| 144 | Coupling 2", | 20 | pc | 2", 10cm thickness, PPR | |
| 145 | Coupling 3/4", | 20 | pc | PPR 4.5cm thickness | |
| 146 | Coupling reducer 1"x3/4", | 20 | pc | PPR 6cm thickness | |
| 147 | Coupling w/ Thread 1/2", | 10 | pc | Male PPR | |
| 148 | Coupling w/ Thread 1/2", | 10 | pc | Female PPR | |
| 149 | Elbow 1", | 20 | pc | PPR 5.5cm thickness | |
| 150 | Elbow 1/2", | 100 | pc | PPR 4cm thickness | |
| 151 | Elbow 2", | 20 | pc | PPR 8cm thicknes | |
| 152 | Elbow 3/4", | 20 | pc | PPR 4.5cm thickness | |
| 153 | Elbow w/ Thread 1/2", | 10 | pc | Male PPR | |
| 154 | Elbow w/ Thread 1/2", | 10 | pc | Female PPR | |
| 155 | Faucet bronze 3.5inches, | 100 | pc | 4cm thickness | |
| 156 | Faucet, gooseneck, | 100 | pc | lavatory type Stainless | |
| 157 | Faucet, gooseneck, | 100 | pc | wall type stainless | |
| 158 | Flexible Hose | 40 | pc | 1/2x1/2x16" | |
| 159 | Flexible Hose | 40 | pc | 1/2x1/2x18" | |
| 160 | Foot Valve Pedal | 5 | pc | (as per sample) | |
| 161 | Gate Valve 1", | 10 | pc | PPR 7cm Thickness | |
| 162 | Gate Valve, | 5 | pcs | 2" Galvanize Iron (G.I) 6cm thickness | |
| 163 | Gate Valve, | 15 | pc | 2" Polypropylene Random (PPR) 10cm Thickness | |
| 164 | Gate Valve, | 2 | pc | 3" Galvanize Iron (G.I) 6cm thickness | |
| 165 | Hexagonal Nipple | 10 | pc | 1 1/2", G.I. | |

| | | | | | |
|-----|----------------------------------|-----|------|-----------------------------------|--|
| 166 | Hexagonal Nipple | 10 | pc | 1 1/4", G.I. | |
| 167 | Hexagonal Nipple | 10 | pc | 2", G.I. | |
| 168 | Pipe 1", | 20 | pc | PPR 5.5cm Thickness | |
| 169 | Pipe 1/2", | 20 | pc | PPR 4cm thickness | |
| 170 | Pipe 2" SDR 9(60meters), | 2 | roll | HDPE 10cm thickness | |
| 171 | Pipe 2", | 20 | pc | PPR 10cm thickness | |
| 172 | Pipe 3/4", | 20 | pc | PPR 4.5cm thickness | |
| 173 | P-Trap 2", | 30 | pc | PVC (as per sample) | |
| 174 | Push Button, | 30 | pc | Double Flush size (as per sample) | |
| 175 | Push Button, | 30 | pc | Single Flush standard size | |
| 176 | PVC solvent cement | 20 | can | (250ml) | |
| 177 | Strainer | 50 | pc | 2 1/2" w/ Tailpiece 4" Stainless | |
| 178 | Tee 1", | 20 | pc | PPR 6cm thickness | |
| 179 | Tee 1/2", | 100 | pc | PPR 4cm Thickness | |
| 180 | Tee 2", | 20 | pc | PPR 11cm thickness | |
| 181 | Tee 3/4", | 20 | pc | PPR 4.5cm thickness | |
| 182 | Teflon | 100 | pc | 1" | |
| 183 | Toilet Bowl Flapper, | 50 | pc | blue | |
| 184 | Union Patente Male Adapter 32mm, | 20 | pc | PPR | |

[Bidders must state in the *Statement of Compliance column* either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution.]

Name of Company: _____

Name of Representative: _____

Signature of Representative: _____

Date: _____